

Please amend the claims as follows. This listing of claims will replace all prior versions, and Listings of Claims in the application:

Listing of Claims:

Claim 1 (Currently Amended): A method for accessing a session comprising:
associating a user with said session using an authenticated token created using an initial token assigned to said user; and
presenting ~~an~~ said authenticated token to access said session from a first terminal.

Claim 2 (Original): The method of claim 1 further comprising:
presenting said authenticated token to access said session from a second terminal.

Claim 3 (Original): The method of claim 2 further comprising:
sending a session disconnect signal to said first terminal; and
routing input and output for said session to said second terminal.

Claim 4 (Currently Amended): The method of claim 1 wherein said step of associating comprises:
authenticating an identity of said user implementing said initial token.

Claim 5 (Currently Amended): The method of claim 4 wherein said step of authenticating comprises:
obtaining said initial token, said initial token being a physical token assigned to said user.

Claim 6 (Currently Amended): The method of claim 4 wherein said step of authenticating comprises: obtaining said initial token, said initial token being a passphrase.

Claim 7 (Currently Amended): The method of claim 4 wherein said step of authenticating comprises:

obtaining said initial token, said initial token being a biometric identifier.

Claim 8 (Original): The method of claim 7 wherein said biometric identifier is a finger print pattern.

Claim 9 (Original): The method of claim 7 wherein said biometric identifier is a retinal image.

Claim 10 (Currently Amended): The method of claim 1 wherein said step of associating comprises:

converting ~~an~~ said initial token to said authenticated token.

Claim 11 (Original): The method of claim 10 wherein said session is identified by said authenticated token.

Claim 12 (Currently Amended): A session accessing system comprising:
an associating unit configured to associate a user with a session using an authenticated token created using an initial token assigned to said user; and

a first presenting unit configured to present said authenticated token to access said session from a first terminal.

Claim 13 (Original): The session accessing system of claim 12 further comprising:

a second presenting unit configured to present said authenticated token to access said session from a second terminal.

Claim 14 (Original): The session accessing system of claim 13 further comprising:

a messaging unit configured to send a session disconnect signal to said first terminal;

and

a routing unit configured to route input and output for said session to said second terminal.

Claim 15 (Currently Amended): The session accessing system of claim 12 wherein said associating unit comprises:

an authentication unit configured to authenticate an identity of said user implementing said initial token.

Claim 16 (Currently Amended): The session system of claim 15 wherein said authentication unit comprises:

a user interface configured to obtain said initial token, said initial token being one of a physical token assigned to said user, a passphrase, and biometric identifier.

Claim 17 (Cancelled)

Claim 18 (Cancelled)

Claim 19 (Currently Amended): The session accessing system of claim ~~18~~ 16 wherein said biometric identifier is one of a finger print pattern and a retinal image.

Claim 20 (Cancelled)

Claim 21 (Original): The session accessing system of claim 12 wherein said associating unit comprises:

a conversion unit configured to convert an initial token to said authenticated token.

Claim 22 (Cancelled)

Claim 23 (Currently Amended): A computer program project comprising:
a computer usable medium having computer readable program code embodied therein configured for accessing a session, comprising:

computer readable code configured to cause a computer to associate a user with said session using an authenticated token created using an initial token assigned to said user; and

computer readable code configured to cause a computer to present said authenticated token to access said session from a first terminal.

Claim 24 (Original): The computer program product of claim 23 further comprising:
computer readable code configured to cause a computer to present said authenticated token to access said session from a second terminal.

Claim 25 (Original): The computer program product of claim 24 further comprising:
computer readable code configured to cause a computer to send a session disconnect signal to said first terminal; and

computer readable code configured to cause a computer to route input and output for said session to said second terminal.

Claim 26 (Currently Amended): The computer program product of claim 23 wherein said computer readable code configured to cause a computer to associate comprises:
computer readable code configured to cause a computer to authenticate an identity of said user implementing said initial token.

Claim 27 (Currently Amended): The computer program product of claim 26 wherein said computer readable code configured to cause a computer to authenticate comprises:

computer readable code configured to cause a computer to obtain said initial token, said initial token being one of a physical token assigned to said user, a passphrase, and a biometric identifier.

Claim 28 (Cancelled)

Claim 29 (Cancelled)

Claim 30 (Currently Amended): The computer program product of claim ~~29~~ 27 wherein said biometric identifier is a finger print pattern.

Claim 31 (Cancelled)

Claim 32 (Original): The computer program product of claim 23, wherein said computer readable code configured to cause a computer to associate comprises:

computer readable code configured to cause a computer to convert an initial token to said authenticated token.

Claim 33 (Cancelled)

Claim 34 (New): A method for accessing a session comprising:
authenticating an identity of a user implementing a first token of one or more tokens
assigned to said user;
converting said first token of one or more tokens to an authenticated token;
associating said user with said session using said authenticated token; and
presenting said authenticated token to access said session from a first terminal,
wherein said authenticated token can be created using each token of the one or more
tokens.

Claim 35 (New): The method of claim 34 further comprising:
authenticating said identity of said user implementing a second token of one or more
tokens assigned to said user;
converting said second token of one or more tokens to said authenticated token; and
presenting said authenticated token to access said session from a second terminal
while said session is still being accessed from said first terminal.

Claim 36 (New): The method of claim 35 further comprising:
sending a session disconnect signal to said first terminal; and
routing input and output for said session to said second terminal.

Claim 37 (New): The method of claim 35 wherein said first token and said
second token are the same token.

Claim 38 (New): The method of claim 35 wherein said first token and said second token are different tokens.

Claim 39 (New): The method of claim 35 wherein said step of authenticating said identity of said user using said first token includes obtaining said first token of said one or more tokens, and further wherein said step of authenticating said identity of said user using said second token includes obtaining said second token.

Claim 40 (New): The method of claim 39 wherein each token of one or more tokens can be one of a biometric identifier, a physical token, and a passphrase.

Claim 41 (New): The method of claim 40 wherein said biometric identifier is one of a finger print pattern and a retinal image.